

Si photodiodes

S12915 series

For visible to IR, general-purpose photometry

These Si photodiodes have high sensitivity in the visible range to near IR. They provide higher sensitivity than the S2387 series and can be used in high-humidity environments.

- Features

- High sensitivity in visible to infrared range
- → Low dark current
- High linearity

- Applications

- Analytical equipment
- **⊇** Optical measurement equipment, etc.

Structure / Absolute maximum ratings


	Window material	Refractive index of window material	Package	Effective	Absolute maximum ratings			
Type no.					Povorco voltago	Operating	Storage	
				area	Reverse voltage VR max	temperature	temperature	
						Topr	Tstg	
				(mm ²)	(V)	(°C)	(°C)	
S12915-16R				6.0				
S12915-33R S12915-66R S12915-1010R	Epoxy resin	1.53	ceramic	5.7	30	-20 to +60	-20 to +80	
				33	30	-20 10 +60		
				100				

Note: Exceeding the absolute maximum ratings even momentarily may cause a drop in product quality. Always be sure to use the product within the absolute maximum ratings.


■ Electrical and optical characteristics (Typ. Ta=25 °C, unless otherwise noted)

Type no.	ا ک	Peak sensitivity wavelength λp	Photosensitivity	Isc 100 lx		Dark current	coefficient	Rise time tr $V_{R=0}$ V $R_{L=1}$ $k\Omega$	Terminal capacitance Ct VR=0 V	resist Rs VR=1	Shunt resistance Rsh VR=10 mV VR=10	
	(nm)	(nm)	(A/W)	Min. (µA)	Typ. (µA)	(pA)	(times/°C)	(µs)	f=10 kHz (pF)	Min. (GΩ)	Typ.	$\lambda = \lambda p$ (W/Hz ^{1/2})
S12915-16R				4.6	5.8	- (I /	, ,	1.8	740	` '	50	9.0×10^{-16}
S12915-33R	340 to 1100 960	060	0.64	5.0	5.7))	1.12	1.6	680	2		
S12915-66R		1100 900		26	33	50		9	4000	0.2	10	2.0×10^{-15}
S12915-1010R				76	95	200		33	13000	0.05	5	2.8×10^{-15}


Spectral response




Photosensitivity temperature characteristics



₽ Dark current vs. reverse voltage



Changes to spectral sensitivity due high temperature and high humidity



Dimensional outlines (unit: mm)

$\begin{array}{c|c} S12915\text{-}16R \\ \hline \\ Hole \\ (2\times) \phi 0.8 \\ \hline \\ Photosensitive \\ area \\ \end{array}$

1.0 × 6.0

Photosensitive surface $\frac{15 \pm 0.15}{13.5 \pm 0.13} + \frac{1}{5}$ Resin $\frac{15 \pm 0.15}{13.5 \pm 0.13} + \frac{1}{5}$ $\frac{1}{5}$ $\frac{1}{5}$ Anode terminal mark




 8.5 ± 0.2


② ○ ► ①


The resin potting may extend a maximum of 0.1 mm above the upper surface of the package.

KSPDA0106E

S12915-33R









The resin potting may extend a maximum of 0.1 mm above the upper surface of the package.


KSPDA0108

S12915-66R



Photosensitive surface








The resin potting may extend a maximum of 0.1 mm above the upper surface of the package.

KSPDA0110EB

S12915-1010R







The resin potting may extend a maximum of 0.1 mm above the upper surface of the package.

KSPDA0112E



Products corresponding to current products

Current product	Compatible products				
S2387-16R	S12915-16R				
S2387-33R	S12915-33R				
S2387-66R	S12915-66R				
S2387-1010R	S12915-1010R				

Related information

http://www.hamamatsu.com/sp/ssd/doc_en.html

- Precautions
- Disclaimer
- · Metal, ceramic, plastic package products
- Technical information
- · Si photodiode / Application circuit examples

Information described in this material is current as of January 2019.

Product specifications are subject to change without prior notice due to improvements or other reasons. This document has been carefully prepared and the information contained is believed to be accurate. In rare cases, however, there may be inaccuracies such as text errors. Before using these products, always contact us for the delivery specification sheet to check the latest specifications.

The product warranty is valid for one year after delivery and is limited to product repair or replacement for defects discovered and reported to us within that one year period. However, even if within the warranty period we accept absolutely no liability for any loss caused by natural disasters or improper product use. Copying or reprinting the contents described in this material in whole or in part is prohibited without our prior permission.

MAMATSU

www.hamamatsu.com

HAMAMATSU PHOTONICS K.K., Solid State Division

1126-1 Ichino-cho, Higashi-ku, Hamamatsu City, 435-8558 Japan, Telephone: (81)53-434-3311, Fax: (81)53-434-5184

LS.A.: Hamamatsu Chrotonics Transc S.A. (China) Cap. Hamamatsu. Chronics Norden AB: Torshamnsgatan 35 16440 Kista, Sweden, Telephone: (1908-231-1908) 10. Fax: (46)8-509 031 01, Famil: info@hamamatsu.se Nordonics Norden AB: Torshamnsgatan 35 16440 Kista, Sweden, Telephone: (49)8152-375-0, Fax: (49)8152-265-8, E-mail: info@hamamatsu.de France: Hamamatsu Photonics France S.A.R.L.: 19, Rue du Saule Trapu, Parc du Moulin de Massy, 91882 Massy, Cedex, France, Telephone: (49)8152-375-0, Fax: (49)8152-265-8, E-mail: info@hamamatsu.de France: Hamamatsu Photonics France S.A.R.L.: 19, Rue du Saule Trapu, Parc du Moulin de Massy, 91882 Massy, Cedex, France, Telephone: (43)1 69 53 71 00, Fax: (33)1 69 53 71 10, E-mail: info@hamamatsu.de Northe Lurope: Hamamatsu Photonics Norden AB: Torshamnsgatan 35 16440 Kista, Sweden, Telephone: (46)8-509 031 00, Fax: (46)8-509 031 01, E-mail: info@hamamatsu.se Italy: Hamamatsu Photonics Italia S.r.l.: Strada della Moia, 1 int. 6, 20020 Arese (Milano), Italy, Telephone: (39)02-93 58 17 33, Fax: (39)02-93 58 17 41, E-mail: info@hamamatsu.it China: Hamamatsu Photonics (China) Co., Ltd.: B1201, Jiaming Center, No.27 Dongsanhuan Beilu, Chaoyang District, 100020 Beijing, P.R.China, Telephone: (86)10-6586-6006, Fax: (86)10-6586-2866, E-mail: hpc@hamamatsu.com.cn
Taiwan: Hamamatsu Photonics Taiwan Co., Ltd.: 8F-3, No. 158, Section2, Gongdao 5th Road, East District, Hsinchu, 300, Taiwan R.O.C. Telephone: (86)3-659-0081, E-mail: info@hamamatsu.com.cn